

General Certificate of Secondary Education

Additional Science 4463 / Chemistry 4421

CHY2H Unit Chemistry 2

Mark Scheme

2010 Examination – June Series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aga.org.uk

Copyright © 2010 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

Marking Guidance for Examiners GCSE Science Papers

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:

where consequential marking needs to be considered in a calculation;

or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

- In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.
- 2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3 Alternative answers acceptable for a mark are indicated by the use of or. (Different terms in the mark scheme are shown by a /; eg allow smooth / free movement.)

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a candidate writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.

However if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column;

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

Question 1

question	answers	extra information	mark
1 (a)(i)	(nitrogen) + hydrogen → ammonia	accept H ₂ and NH ₃	1
		ignore incorrect symbols	
		ignore balancing	
1 (a)(ii)	any one from:		1
	• catalyst		
	to speed up the reaction	ignore causes reaction	
		ignore heat / reference to particles	
	lower activation energy		
1 (a)(iii)	any two from:	it = ammonia	2
	• cooled		
	ammonia condenses / turns into liquid	ignore references to boiling point	
	nitrogen and hydrogen do not condense / turn into liquid		
	or		
	nitrogen and hydrogen stay as gases		
		if no marks awarded accept pass through / separated in condenser or unreacted nitrogen and hydrogen / gases recycled for 1 mark	

Question 1 continues on the next page

Question 1 continued

question	answers	extra information	mark
1 (b)	80	correct answer with or without working gains 2 marks	2
		ignore units	
		if answer incorrect, evidence of correct working gains 1 mark	
		eg	
		14 + (4 x 1) + 14 + (3 x 16) (= 70)	
		or	
		2N + 4H +30	
1 (c)	fertiliser is C		1
	evidence of correct working	examples of minimum correct working:	1
		39/101	
		or	
		14/101	
		or	
		38.61/100	
		or	
		13.86/100	
Total			8

Question 2

question	answers	extra information	mark
2 (a)(i)	(different) properties	allow ideas of different property / behaviour / element	1
2 (a)(ii)	any one from:they had high statusorthey were lecturers / doctors /	they = Crawford + Cruikshank	1
	 professors / famous scientists other scientists repeated experiments 	allow experiment could be repeated allow other scientists showed they had different properties	
	 they had proof or lots of / strong / conclusive / enough / clear evidence 	ignore evidence unqualified	
2 (a)(iii)	other scientists obtained similar results / proved it or		1
	experiments were repeated		

Question 2 continues on the next page

Question 2 continued

question	answers	extra information	mark
2 (b)(i)	 any one from: mass of solid / strontium (chloride) / barium (chloride) volume of water 	allow amount / volume	1
	type of container	allow initial / starting temperature (of water)	
		ignore room temperature / time / concentration	
		ignore reference to hydrochloric acid	
2 (b)(ii)	2 and takes in heat / energy		1
	or		
	2 and temperature goes down (owtte)		
2 (b)(iii)	temperature increased for one experiment and decreased for the other (owtte)		1
	or		
	one was exothermic and one was endothermic (owtte)	accept experiment 1 was exothermic	
2 (c)	any one from		1
	• positive / + (charge)	do not accept incorrect further qualification eg electrons / atoms / electrodes	
	opposite (charges) attract		
Total			7

Question 3

question	answers	extra information	mark
3 (a)	2,4 (drawn as crosses) on shells	accept dots / e / - etc.	1
3 (b)(i)	hard	allow rigid / high melting point	1
		do not allow references to bonding	
		ignore strong	
		ignore unreactive	
		ignore structure	
3 (b)(ii)	any three from	max 2 if ionic / metallic / molecule / intermolecular bonds or incorrect number of bonds	3
	giant structure / lattice / macromolecular	allow many bonds	
	covalent (bonds)		
	(covalent) bonds are strong	accept needs lots of energy to break bonds (owtte)	
	(each) carbon / atom forms four bonds		
	or		
	(each) carbon / atom bonded to four other atoms		

Question 3 continues on the next page

CHY 2H Question 3 continued

question	answers	extra information	mark
3 (c)	any three from:	max 2 if ionic / ions / metallic / molecule	3
		'it' needs to be qualified	
	graphite		
	has delocalised / free electrons	do not accept the electrons move unless qualified (around structure etc)	
	or		
	electrons that can move through / around the structure	allow groupite has three hands	
	each carbon is joined to three other carbon atoms	allow graphite has three bonds	
	or		
	one electron from each atom is free / delocalised		
	diamond		
	has no free / delocalised electrons	do not accept the electrons do not move	
	or	not move	
	no electrons that move around the structure		
	all the electrons are used for bonding	allow diamond has 4 bonds	
	or		
	each carbon joined to four other carbon atoms		
Total			8

Question 4

question	answers	extra information	mark
4 (a)(i)	84 / 84.5 / 83.98	correct answer with or without working gains 3 marks	3
		(moles of NaN ₃ =) 130/65 (1) moles of nitrogen = 3 (1) mass of nitrogen = 3 x 28 = 84 (1) or $2 \times (23 + (3 \times 14))$ (1) $3 \times (2 \times 14)$ (1)	
		or $2NaN_3 = 130$ (1) $3N_2 = 84$ (1)	
		if answer is incorrect then look for evidence of correct working. allow ecf from previous stage	
		1 mark lost for each mistake in the working if they do not have the correct answer.	
4 (a)(ii)	72 / 72.24 / 72.2	allow ecf from part (i) × 0.86	1
	or	ignore working	
	69 or 68.8		
4 (b)(i)	2 and 5		1
4 (b)(ii)	any one from:		1
	corrosive / burns		
	alkaline / basic	do not accept acidic	
	 attacks / destroys / damages living tissue / cells 	allow irritant	
		ignore reference to reactivity	
		ignore reference to silicates	
		ignore harmful / toxic	
Total			6

Question 5

question	answers	extra information	mark
5 (a)(i)	lead nitrate	accept Pb(NO ₃) ₂	1
		do not accept nitride	
	sodium iodide / potassium iodide	accept Nal / KI	1
		accept other correct soluble iodides	
		do not accept sodium iodine / potassium iodine	
5 (a)(ii)	filter / filtration / filtering	accept decant / decanting etc.	1
		accept centrifugation	
		ignore evaporation or heating if after filtration	

Question 5 continues on the next page

Question 5 continued

question	answers	extra information	mark
5 (b)		metallic / sharing / covalent or molecule = max 3	
	magnesium <u>loses</u> <u>2</u> <u>electrons</u>	all three underlined ideas must be present	2
		two underlined ideas = 1 mark eg magnesium loses electrons or magnesium gains 2 electrons or magnesium loses 2 ions	
		nb magnesium ion loses 2 electrons = 1 mark	
		2 errors = 0 marks eg magnesium gains electrons	
		all four underlined ideas must be present	2
	iodine gains 1 / an electron	three underlined ideas = 1 mark eg iodine gains electron(s) or	
		iodine loses 1 / an electron or	
		iodine gains 1 / an ion or	
		iodide (ion) gains 1 / an electron	
		2 errors = 0 marks	
5 (c)	any two from:	mention of molecules / intermolecular / covalent / atoms = max 1	2
	forces (of attraction) / bonds are <u>strong</u> or lot of energy needed to break bonds		
	oppositely charged ions attract or electrostatic attraction between ions	allow many bonds	
	giant structure or lattice	ignore ionic bonding unqualified	
Total			9

Question 6

question	answers	extra information	mark
6 (a)	same number of (gaseous) molecules / moles / volume on	allow particles for molecules	1
	both sides of the equation	do not accept atoms	
		ignore amount	
6 (b)	(forward) reaction is exothermic	accept reverse answer	1
6 (c)	any three from:		3
	particles gain energy		
	particles move faster	allow particles collide faster / quicker	
		ignore move more / vibrate more	
	particles collide more or more collisions		
	more of the collisions are successful or more of the particles have the activation energy or particles collide with more force / energy		

Question 6 continues on the next page

CHY 2H Question 6 continued

question	answers	extra information	mark
6 (d)	any two from:		2
	more product (obtained in shorter time)	accept better yield (of product)	
	less fuel needed or	accept less energy / heat / electricity needed	
	lower fuel costs	ignore cheaper unqualified	
	less pollution caused by burning fuels		
	or		
	less specified type of pollution caused by producing heat / burning fuels	allow correct specified pollutants caused by burning fossil fuels eg CO ₂ / greenhouse gases or correct effect of burning fossil fuels eg global warming	
		accept thermal / heat pollution	
	using less fuel conserves resources	accept sustainable accept fossil fuels are non-renewable	
Total			7